

**Originalarbeiten**

Apostolidis A, Dasgupta P, Denys P, Elneil S, Fowler CJ, Giannantoni A, Karsenty G, Schulte-Baukloh H, Schurch B, Wyndaele JJ.; Recommendations on the Use of Botulinum Toxin in the Treatment of Lower Urinary Tract Disorders and Pelvic Floor Dysfunctions: A European Consensus Report; *Eur Urol.* 2008 Sep 17. [Epub ahead of print].

Bachmann, V, Müller, R, van Hedel, H J A, Dietz, V; Vertical perturbations of human gait: organisation and adaptation of leg muscle responses; *Experimental Brain Research*, 186(1):123-130.

Banz, R, Bolliger, M, Colombo, G, Dietz, V, Lünenburger, L; Computerized visual feedback: an adjunct to robotic-assisted gait training; *Physical Therapy*, 88(10):1135-1145.

Beck, S, Richardson, S P, Shamim, E A, Dang, N, Schubert, M, Hallett, M; Short intracortical and surround inhibition are selectively reduced during movement initiation in focal hand dystonia; *Journal of Neuroscience*, 28(41):10363-10369.

Bolliger, M, Banz, R, Dietz, V, Lünenburger, L; Standardized voluntary force measurement in a lower extremity rehabilitation robot; *Journal of Neuroengineering and Rehabilitation*, 5:23.

Curt, A, Van Hedel, H J A, Klaus, D, Dietz, V; Recovery from a spinal cord injury: significance of compensation, neural plasticity, and repair; *Journal of Neurotrauma*, 25(6):677-685.

Dietz, V; Body weight supported gait training: from laboratory to clinical setting; *Brain Research Bulletin*, 76(5):459-463.

Dietz, V; Ready for human spinal cord repair?; *Brain*, 131(Pt 9):2240-2242.

Dietz, V; Spasticity-spastic movement disorder; *Spinal Cord*, 46(8):588.

Dietz, V; Studies on the spastic rat: an adequate model for human spastic movement disorder?; *Journal of Neurophysiology*, 99(2):1039-1940, author reply 1041.

Dietz, V, Michel, J; Locomotion in Parkinson's disease: neuronal coupling of upper and lower limbs; *Brain*, 131(12):3421-3431.

Duysens, J, Duysens, J P, Bastiaanse, C M, van Sprundel, M, Schubert, M, Smits-Engelsman, B C; How trunk turns affect locomotion when you are not looking where you go; *Human Movement Science*, 27(5):759-770.

Hotz-Boendermaker, S, Funk, M, Summers, P, Brugger, P, Hepp-Reymond, M C, Curt, A, Kollias, S S; Preservation of motor programs in paraplegics as demonstrated by attempted and imagined foot movements; *NeuroImage*, 39(1):383-394.

Lam, T, Wirz, M, Lünenburger, L, Dietz, V; Swing phase resistance enhances flexor muscle activity during treadmill locomotion in incomplete spinal cord injury; *Neurorehabilitation and Neural Repair*, 22(5):438-446.

List, R, Unternährer, S, Ukelo, T, Wolf, P, Stacoff, A; Erfassen der Vor- und Rückfussbewegungen im Gehen und Laufen; *Schweizerische Zeitschrift für Sportmedizin und Sporttraumatologie*, 56(2):43-49.

Lundgren, P, Nester, C, Liu, A, Arndt, A, Jones, R, Stacoff, A, Wolf, P, Lundberg, A; Invasive in vivo measurement of rear-, mid- and forefoot motion during walking; *Gait & Posture*, 28(1):93-100.

Mangold, S; Vertrauen ist gut, Kontrolle ist besser; *Ergopraxis*, 1(2):14.

Mangold, S; Vom Suchen und Finden der Studien; *Ergopraxis*, 1(1):14.

Mehnert, U, Boy, S, Svensson, J, Michels, L, Reitz, A, Candia, V, Kleiser, R, Kollias, S, Schurch, B; Brain activation in response to bladder filling and simultaneous stimulation of the dorsal clitoral nerve--an fMRI study in healthy women; *NeuroImage*, 41(3):682-689.

Mehnert U, Knapp PA, Mueller N, Reitz A, Schurch B; Heart rate variability: An objective measure of autonomic activity and bladder sensations during urodynamics; *NeuroUrol Urodyn*, 2008 Dec 4. [Epub ahead of print]

Michel, J, van Hedel, H J A, Dietz, V; Obstacle stepping involves spinal anticipatory activity associated with quadrupedal limb coordination; *European Journal of Neuroscience*, 27(7):1867-1875.

Schaub, A F, Riener, R, Geissbühler, V; Dianatal® Obstetric Gel: saving time & energy in human childbirth; *Nederlands Tijdschrift voor Obstetrie en Gynaecologie*, 121:208-209.

Schubert, M, Beck, S, Taube, W, Amtage, F, Faist, M, Gruber, M; Balance training and ballistic strength training are associated with task-specific corticospinal adaptations; *European Journal of Neuroscience*, 27(8):2007-2018.

Spiess, M, Schubert, M, Kliesch, U, Halder, P; Evolution of tibial SSEP after traumatic spinal cord injury: baseline for clinical trials; *Clinical Neurophysiology*, 119(5):1051-1061.

Taube, W, Leukel, C, Schubert, M, Gruber, M, Rantalainen, T, Gollhofer, A; Differential modulation of spinal and corticospinal excitability during drop jumps; *Journal of Neurophysiology*, 99(3):1243-1252.

Van Hedel, H J A; Gait speed in relation to categories of functional ambulation after spinal cord injury; *Neurorehabil Neural Repair*. 2008 Nov 25. [Epub ahead of print].

Van Hedel, H J A, Wirz, M, Dietz, V; Standardized assessment of walking capacity after spinal cord injury: the European network approach; *Neurological Research*, 30(1):61-73.

Wellner, M, Schaufelberger, A, von Zitzewitz, J, Riener, R; Evaluation of visual and auditory feedback in virtual obstacle walking; *Presence*, 17(5):512-524.

Wirth, B, van Hedel, H J A, Curt, A; Ankle dexterity is less impaired than muscle strength in incomplete spinal cord lesion; *Journal of Neurology*, 255(2):273-279.

Wirth, B, van Hedel, H J A, Curt, A; Ankle dexterity remains intact in patients with incomplete spinal cord injury in contrast to stroke patients; *Experimental Brain Research*, 191(3):353-361.

Wirth, B, van Hedel, H J A, Curt, A; Ankle paresis in incomplete spinal cord injury: relation to corticospinal conductivity and ambulatory capacity; *Journal of Clinical Neurophysiology*, 25(4):210-217.

Wirth, B, van Hedel, H J A, Curt, A; Changes in corticospinal function and ankle motor control during recovery from incomplete spinal cord injury; *Journal of Neurotrauma*, 25(5):467-478.

Wirth, B, van Hedel, H J A, Curt, A; Foot control in incomplete SCI: distinction between paresis and dexterity; *Neurological Research*, 30(1):52-60.

Wirth, B, van Hedel, H J A, Kometer, B, Dietz, V, Curt, A; Changes in activity after a complete spinal cord injury as measured by the Spinal Cord Independence Measure II (SCIM II); *Neurorehabilitation and Neural Repair*, 22(2):145-153.

Wolf, P, Kryenbühl, C, Ukelo, T, Stüssi, E, Stacoff, A; Veränderte Aktivierung der Vasti während dem Laufen als Merkmal des PFPS; *Schweizerische Zeitschrift für Sportmedizin und Sporttraumatologie*, 56(2):66-70.

Wolf, P, Stacoff, A, Liu, A, Nester, C, Arndt, A, Lundberg, A, Stuessi, E; Functional units of the human foot; *Gait & Posture*, 28(3):434-441.

Wolf, P, Stacoff, A, Luechinger, R, Boesiger, P, Stuessi, E; Transmissions within the tarsal gearbox; *Journal of the American Podiatric Medical Association*, 98(1):45-50.

Wydenkeller, S, Wirz, R, Halder, P; Spinothalamic tract conduction velocity estimated using contact heat evoked potentials: what needs to be considered; *Clinical Neurophysiology*, 119(4):812-821.

### **Kongressbeiträge (Proceedings)**

Banz, R, Riener, R, Lünenburger, L, Bolliger, M; Assessment of walking performance in robot-assisted gait training: A novel approach based on empirical data; *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 30:1977-1980.

Duschau-Wicke, A, Brunsch, T, Lünenburger, L, Riener, R; Adaptive support for patient-cooperative gait rehabilitation with the Lokomat; *IEEE International Conference on Intelligent Robots and Systems, Proceedings*, 2008:2357-2361.

Duschau-Wicke, A, von Zitzewitz, J, Lünenburger, L, Riener, R; Adaptive patient-driven cooperative gait training with the rehabilitation robot Lokomat; In: van der Sloten, J, Verdonck, P, Nyssen, M, Hauelsen, J, 4th European Conference of the International Federation for Medical and Biological Engineering 23 - 27 November 2008, Antwerp, Belgium, Berlin, DE, 1616-1619.

Fuhr, T, Quintern, J, Riener, R, Schmidt, G; Walking with WALK! A cooperative, patient-driven neuroprosthetic system; IEEE engineering in medicine and biology magazine, 27(1):38-48.

König, A, Wellner, M, Koeneke, S, Meyer-Heim, A, Lünenburger, L, Riener, R; Virtual gait training for children with cerebral palsy using the Lokomat gait orthosis; In: Westwood, J D, Haluck, R S, Hoffman, H M, Mogel, G T, Philipps, R, Robb, R A, Vosburgh, K G, Medicine meets virtual reality 16: parallel, combinatorial, convergent. Amsterdam, NL, 204-209.

Panchaphongsaphak, B, Riener, R, Brygg, U, Burgkart, R; Developing interactive interfaces using force-torque sensing; IEEE Pervasive Computing, 7(3):70-71.

### **Übersichtsarbeiten**

Karsenty, G, Denys, P, Amarenco, G, De Seze, M, Gamé, X, Haab, F, Kerdraon, J, Perrouin-Verbe, B, Ruffion, A, Saussine, C, Soler, J M, Schurch, B, Chartier-Kastler, E; Botulinum toxin A (Botox) intradetrusor injections in adults with neurogenic detrusor overactivity/neurogenic overactive bladder: a systematic literature review; European Urology, 53(2):275-287.

Naumann, M, So, Y, Argoff, C E, Childers, M K, Dykstra, D D, Gronseth, G S, Jabbari, B, Kaufmann, H C, Schurch, B, Silberstein, S D, Simpson, D M; Assessment: Botulinum neurotoxin in the treatment of autonomic disorders and pain (an evidence-based review), Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology; Neurology, 70(19):1707-1714.

### **Editorials**

Schurch, B.; Editorial Comment on: Six-Year Follow-up of Botulinum Toxin A Intradetrusorial Injections in Patients with Refractory Neurogenic Detrusor Overactivity: Clinical and Urodynamic Results; Eur Urol. 2008 Sep 2. [Epub ahead of print].