

## Publikationen 2007- Paraplegikerzentrum Uniklinik Balgrist

### Originalarbeiten

Amtage F, Marouf W, Hetzel A, Schubert M. Acquired prothrombotic state due to protein-losing enteropathy as a rare cause for ischemic stroke? *European Journal of Neurology* 2007;14/14:e7-e8.

Arndt A, Wolf P, Liu A, Nester C, Stacoff A, Jones R, Lundgren P, Lundberg A. Intrinsic foot kinematics measured in vivo during the stance phase of slow running. *Journal of Biomechanics* 2007;40:2672-2678.

Beck S, Taube W, Gruber M, Amtage F, Gollhofer A, Schubert M. Task-specific changes in motor evoked potentials of lower limb muscles after different training interventions. *Brain Research* 2007;1179:51-60.

Boy S, Schurch B, Mehnert U, Mehring G, Karsenty G, Reitz A. The effects of tolterodine on bladder-filling sensations and perception thresholds to intravesical electrical stimulation: method and initial results. *British Journal of Urology* 2007;100/3:574-8.

Buchli A, Rouiller E, Müller R, Dietz V, Schwab ME. Repair of the injured spinal cord. A joint approach of basic and clinical research. *Neurodegeneration Diseases* 2007;4:51-56.

Dietz V, Sinkjaer T. Divergent aspects of spasticity: Clinical signs and movement disorder. *Lancet Neurology* 2007;6:725-733.

Egli D, Min K, Ramseier L, Schmid MR, Boos N, Dietz V, Curt A. Lumbar spinal canal stenosis: Assessment of cauda equina affection by electrophysiological recordings. *Journal of Neurology* 2007;254:741-750.

Fawcett JW, Curt A, Steeves JD, Coleman WP, Tuszynski MH, Lammertse D, Bartlett PF, Blight AR, Dietz V, Ditunno J, Dobkin BH, Havton LA, Ellaway PH, Fehlings MG, Privat A, Grossmann R, Guest JD, Kleitman N, Nakamura M, Gaviria M, Short D. Guidelines for the conduct of clinical trials for spinal cord injury as developed by the ICCP panel: spontaneous recovery after spinal cord injury and statistical power needed for therapeutic clinical trials. *Spinal Cord* 2007;45:190-205.

Field-Fote EC, Dietz V. Single joint perturbation during gait: Preserved compensatory response pattern in spinal cord injured subjects. *Clinical Neurophysiology* 2007;118:1607-1616.

Gruber M, Taube W, Gollhofer A, Beck S, Amtage F, Schubert M. Training-specific adaptations of H- and stretch reflexes in human soleus muscle. *J Mot Behav* 2007;39/1:68-78.

Halder P, Brem S, Bucher K, Boujraf S, Summers P, Dietrich T, Kollias S, Martin E, Brandeis D. Electrophysiological and hemodynamic evidence for late maturation of hand power grip and force control under visual feedback. *Neuroimage* 2007;28/1:69-84.

Huwlyer M, Schurch B, Knapp PA, Reitz A. Can the ice-water test predict the outcome of intradetrusor injections of botulinum toxin in patients with neurogenic bladder dysfunction? *World J Urol.* 2007;25/6:613-7.

Korb W, Burgert O, Schulze-Kissing D, Riener R. Kooperative Mensch-Maschine Systeme in der Chirurgie und Rehabilitation. *Automatisierungstechnik* 2007;55:511-520.

Mandelkow H, Halder P, Brandeis D, Soellinger M, deZanche N, Luechinger R, Boesiger P. Heart beats brain: The problem of detecting alpha waves by neuronal current imaging in joint EEG-MRI experiments. *Neuroimage* 2007;37/1:149-63.

Mangold S, Wissenschaftlichkeit in der Ergotherapie. *Ergotherapie - Vom Behandeln zum Handeln* 2007;144-152,182-183.

Mangold S, Keller T. Was mit FES möglich ist - Funktionelle Elektrostimulation (FES) der unteren Extremitäten bei zentralen Lähmungen. *pt - Zeitschrift für Physiotherapeuten* 2007;59/11:1154-1159.

Marques B, Colombo G, Müller R, Dürsteler MR, Dietz V, Straumann. Influence of vestibular and visual stimulation on split-belt walking. *Experimental Brain Research* 2007;183:457-463.

Mayer F, Hirschi Mueller A, Müller S, Schubert M, Baur H. The effects of short term treatment strategies over 4 weeks in Achilles tendinopathy. *Br J Sports Med* 2007;41/7:e6.

Mehnert U, Reitz A, Ziegler M, Knapp PA, Schurch B. Does tolterodine extended release affect the bladder electrical perception threshold? A placebo controlled, double-blind study with 4 and 8 mg in healthy volunteers. *Journal of Urology* 2007;178/6:2495-501.

Michel J, van Hedel H, Dietz V. Facilitation of spinal reflexes assists performing but not learning a precision locomotor task. *European Journal of Neuroscience* 2007;26/5:1299-1306.

Mihelj M, Nef T, Riener R. A novel paradigm for patient-cooperative control of upper-limb rehabilitation robots. *Advanced Robotics* 2007;21/8:843-867.

Nester C, Jones RK, Liu A, Howard D, Lundberg A, Arndt A, Lundgren P, Stacoff A, Wolf P. Foot kinematics during walking measured using bone and surface mounted markers. *Journal of Biomechanics* 2007;40/15:3412-3423.

Riener R. Robot-aided rehabilitation of neural function in the upper extremities. *Acta Neurochir Suppl.* 2007;97/1:465-471.

Schurch B, Denys P, Kozma CM, Reese PR, Slaton T, Barron R. Reliability and validity of the Incontinence Quality of Life questionnaire in patients with neurogenic urinary incontinence. *Arch Phys Med Rehabil* 2007;88/5:646-52.

Schurch B, Denys P, Kozma CM, Reese PR, Slaton T, Barron RL. Botulinum toxin A improves the quality of life of patients with neurogenic urinary incontinence. *Eur Urol.* 2007;52/3:850-8.

Siekierka, EM, Eng K, Bassetti C, Blickenstorfer A, Cameirao MS, Dietz V, Duff A, Erol F, Ettl T, Hermann DM, Keller T, Keisker B, Kesselring J, Kleiser R, Kollias S, Kool JP, Kurre A, Mangold S, Nef T, Pyk P, Riener R, Schust C. New technologies and concepts for rehabilitation in the acute phase of stroke: a collaborative matrix. *Neurodegener Dis.* 2007;4/1:57-69.

Simanski O, Riener R. Automatisierungstechnische Verfahren für die Medizin. *Editorial at* 2007;501-502.

Stacoff A, Kramers-de Quervain I, Dettwyler M, Wolf P, List R, Ukelo T, Stuessi E. Biomechanical effects of foot orthoses during walking. *The Foot* 2007;17/3:143-153.

Steeves JD, Lammertse D, Curt A, Fawcett JW, Tuszynski MH, Ditunno JF, Ellaway PH, Fehlings MG, Guest JD, Kleitman N, Bartlett PF, Blight AR, Dietz V, Dobkin BH, Grossman R, Short D, Nakamura M, Coleman WP, Gavrira M, Privat A. Guidelines for the conduct of clinical trials for spinal cord injury (SCI) as developed by the ICCP panel: clinical trial outcome measures. *Spinal Cord* 2007;45:206-21.

Surges R, Schubert M, Berlis A, Weiller C, Hetzel A, Niesen WD. Spinal subarachnoid hemorrhage due to ruptured solitary aneurysm at thoracolumbar level with fatal outcome. *J Neurol.* 2007;254/7:950-952.

Taube W, Gruber M, Beck S, Faist, M, Gollhofer A, Schubert M. Cortical and spinal adaptations induced by balance training: correlation between stance stability and corticospinal activation. *Acta Physiol (Oxf)* 2007;189/4:347-358.

Tuszynski MH, Steeves JD, Fawcett JW, Lammertse D, Kalichman M, Rask C, Curt A, Ditunno JF, Fehlings MG, Guest JD, Ellaway PH, Kleitman N, Barlett PF, Blight AR, Dietz V, Dobkin BH, Grossman R, Privat A. Guidelines for the conduct of clinical trials for spinal cord injury as developed by the ICCP Panel: clinical trial inclusion/exclusion criteria and ethics. *Spinal Cord* 2007;45:222-31.

van Hedel H, Dietz V, Curt A. Assessment of walking speed and distance in subjects with an incomplete spinal cord injury. *Neurorehabil Neural Repair* 2007;21/4:295-301.

van Hedel H, Murer C, Dietz V, Curt A. The amplitude of lower leg motor evoked potentials is a reliable measure when controlled for torque and motor task. *Journal of Neurology* 2007;254/8:1089-1098.

Wellner M, Thuring T, Smajic E, Zitzewitz J, Duschau-Wicke A, Riener R. Obstacle Crossing in a Virtual Environment with the Rehabilitation Gait Robot LOKOMAT; *Studies in health technology and informatics*, IOS Press, Amsterdam 2007;125:497-499.

Wolf P, Luechinger R, Boesiger P, Stuessi E, Stacoff A. An MR imaging procedure to measure tarsal bone rotation. *Journal of Biomechanical Engineering* 2007;129:931-936.

Wolf P, Luechinger R, Stacoff A, Boesiger P, Stuessi E. Reliability of tarsal bone segmentation and its contribution to MR kinematic analysis methods. *Computerized Medical Imaging and Graphics* 2007;71: 523-530.

Wolf P, Stacoff A, Liu A, Nester C, Arndt A, Lundberg A, Stuessi E. Does a specific MR imaging protocol with the subject lying supine replicate his tarsal kinematics seen during upright standing? *Biomedical Engineering* 2007;52/4:290-294.

### **Übersichtsarbeiten (Reviews)**

Schurch B, Dietz V. Komplikationen und Spätfolgen nach Wirbelsäulen-Rückenmarktrauma (Übersicht). *Aktuelle Neurologie* 2007;34:478-490.

### **Buchbeiträge**

Dietz V. Symptome der akuten und chronischen Rückenmarkschädigung. Therapie und Verlauf neurologischer Erkrankungen. Th Brandt, J Dichgans und HC Diener (hrsg.). Stuttgart (Kohlhammer) 2007: 1178-1191.

Dietz V, Schöls L. Syndrom der spastischen Parese und Spastischen Spinalparalysen. In: Therapie und Verlauf neurologischer Erkrankungen. Th Brandt, J Dichgans und HC Diener (hrsg.). Stuttgart (Kohlhammer) 2007: 1192-1202.

## Dissertationen

Maric, Oliver. Levodopa in Kombination mit Physiotherapie nach inkompletter Querschnittlähmung: Eine prospektive, randomisierte, doppel-blinde Crossover-Studie. Universität Zürich, Medizinische Fakultät, 2007.

Nef, Tobias. Multimodal Robot for the Movement Therapy of the Upper Extremities. ETH Zürich, Sensory-Motor Systems Laboratory, 2007.

Wirth, Barbara. Facilitatory neuromodulative effect of duloxetine on pudendal motorneurons controlling the urethral tone – a functional urodynamic study in healthy females. Universität Zürich, Medizinische Fakultät, 2007.

## Habilitationen

Schubert, Martin. Die Bedeutung des Cortex cerebri für die Stand- und Gangregulation des Menschen. Albert-Ludwigs-Universität Freiburg, Medizinische Fakultät, 2007.

## Elektronische Publikationen

Duschau-Wicke A, Zitzewitz J, Wellner M, Lünenburger L, Riener R. A Patient-Cooperative Scenario for Retraining of Gait Timing with the Rehabilitation Robot Lokomat. BMT 2007 (41. Jahrestagung der Deutschen Gesellschaft für Biomedizinische Technik) Aachen 2007 (CD-ROM).

Lünenburger L, Colombo G, Riener R. Biofeedback for robotic gait rehabilitation. Journal of Neuro-Engineering and Rehabilitation 2007;4/4.

Nef T, Mihelj M, Riener R. ARMin – Evaluation of a Shoulder Actuation for Arm Exos. BMT 2007 (41. Jahrestagung der Deutschen Gesellschaft für Biomedizinische Technik) Aachen 2007 (CD-ROM).

Riener R. Patient-Cooperative Rehabilitation Robotics in Zurich Medicon 2007 Ljubljana.

Riener R Patient-Interactive Robots for Arm and Gait Rehabilitation. Technical Aids in Rehabilitation (TAR) Berlin 2007.

Riener R, Stutzer D, Brunschweiler A, Bleul U, Schaub A. Experimental Studies on Friction Reduction during Childbirth. BMT 2007 (41. Jahrestagung der Deutschen Gesellschaft für Biomedizinische Technik) Aachen 2007 (CD-ROM).

Ruggia F, Colombo V, Palla S, Gallo LM. Influence of anatomy and kinematics on TMJ strain patterns. 85th General Session of the International Association for Dental Research New Orleans 2007.

## Lectures

Riener R. Robotik in der Neurorehabilitation. 46. Ärztefortbildungskurs der Lungenliga Zürich, Davos 2007;45-49.

## Proceedings

Duschau-Wicke A, Zitzewitz J, Wellner M, König A, Lünenburger L, Riener R. Path Control – A Strategy for Patient-Cooperative Training of Gait Timing. Fortschritt-Berichte VDI, Reihe 17, Nr. 267, 7. Automated Workshop (2007); München, 1-2.

Duschau-Wicke A, Zitzewitz J, Wellner M, Lünenburger L, Riener R. A Patient-Cooperative Scenario for Retraining of Gait Timing with the Rehabilitation Robot Lokomat. BMT 2007 (41. Jahrestagung der Deutschen Gesellschaft für Biomedizinische Technik) Aachen, n/a.

Duschau-Wicke A, Zitzewitz J, Banz R, Riener R. Iterative Learning Synchronization of Robotic Rehabilitation Tasks. Proceedings of the 2007 IEEE 10th International Conference on Rehabilitation Robotics, NL-Noordwijk 2007:335-340.

Duschau-Wicke A, Zitzewitz J, Wellner M, König A, Lünenburger L, Riener R. Path Control – A Strategy for Patient-Cooperative Training of Gait Timing. VDI-Fortschritt-Berichte, Biotechnik/Medizintechnik, Automatisierungstechnische Verfahren für die Medizin 7. Workshop Tagungsband 2007;17/267:7-8.

Keller T, Lawrence M, Kuhn A. Selective finger and wrist activation using multi-channel transcutaneous electrical stimulation electrodes. International Functional Electrical Stimulation Society Conference Philadelphia, PA/USA 2007;12:5.2.

Keller T, Lawrence M, Kuhn A. Textile Neuroprosthesis Garment for Functional Electrical Stimulation. International Workshop on Functional Electrical Stimulation A-Krems 2007;9:107-110.

Keller T, Lawrence M, Kuhn A. Selective finger and wrist activation using multi-channel transcutaneous electrical stimulation electrodes. International Functional Electrical Stimulation Society Conference Philadelphia, PA/USA 2007;12:5.

Kuhn A, Keller T. A Selectivity Measure for Transcutaneous Electrodes. International Functional Electrical Stimulation Society Conference Philadelphia, PA/USA 2007;12:1.14.

Kuhn A, Keller T. A model for transcutaneous electrical stimulation using activation volumes to describe the influence of the electrode placement and size. International Workshop on Functional Electrical Stimulation A-Vienna 2007;9:151-154.

Lawrence M, Gross G-P, Keller T. Finger and Wrist Torque Measurement System for the evaluation of grasp performance with Neuroprosthesis. International Workshop on Functional Electrical Stimulation A-Krems 2007;9:87-90.

Mihelj M, Nef T, Riener R. ARMin II – 7 DoF rehabilitation robot: mechanics and kinematics. IEEE International Conference on Robotics and Automation, Rom 2007;4120-4125.

Mihelj M, Nef T, Riener R. Patient-cooperative control of upper limb rehabilitation robots. Proc. 16th Workshop on Robotics in Alpe-Adria-Danube Region (RAAD 2007) Ljubljana/Slowenia 2007;335-344.

Nef T, Mihelj M, Kiefer G, Perndl C, Müller R, Riener R. ARMin – Exoskeleton for Arm Therapy in Stroke Patients. Proceedings of the 2007 IEEE 10th International Conference on Rehabilitation Robotics, NL-Noordwijk 2007;68-74.

Nef T, Riener R. Arm Therapy Robot ARMin: A Tele-Game to Increase Patient Motivation. VDI-Fortschritt-Berichte, Biotechnik/Medizintechnik, Automatisierungstechnische Verfahren für die Medizin 7. Workshop Tagungsband 2007;17/267:7-8.

Oldewurtel F, Mihelj M, Nef T, Riener R. Patient-cooperative control strategies for coordinated functional arm movements. European Control Conference, Kos/Greece 2007;2527-2534.

Panchaphongsaphak B, Burgkart R, Riener R. Three-dimensional touch interface for medical education. IEEE Transactions on Information Technology in Biomedicine 2007;11/3:251-63.

Panchaphongsaphak B, Burgkart R, Riener R. Tangible Interactive Training System for Neuroanatomy Learning: User Evaluation. Symposium on Enhancing Healthcare Education, Research & Practice through Technology, Hong Kong 2007;13-17.

Panchaphongsaphak B, Riener R. Tokens and Board User Interface Based on a Force-Torque Sensing Technique. IEEE Symposium on 3D User Interfaces 2007 (3DUI'07) Charlotte, NC/USA 2007;143-146.

Riener R. Automatisierte Rehabilitation – Automated Rehabilitation. Supplement in Neurologie & Rehabilitation 13 Symposium of the DGNR & DGNKN, Saarbrücken 2007;S4.

Tita R, Riener R, Buss M, Lüth TC (Eds.). Automatisierungstechnische Verfahren für die Medizin 7. Workshop Tagungsband. VDI-Fortschritt-Berichte, Biotechnik/Medizintechnik 2007.

Wegmueller M, Kuhn A, Froehlich J, Oberle M, Felber N, Kuster N, Fichtner W. An Attempt to Model the Human Body as a Communication Channel. IEEE Transactions on Biomedical Engineering 2007;54/10:1851-1857.

Wellner M, Guidali M, Zitzewitz J, Riener R. Using a Robotic Gait Orthosis as Haptic Display - A Perception-Based Optimization Approach. Proceedings of the 2007 IEEE 10th International Conference on Rehabilitation Robotics, NL-Noordwijk 2007;81-88.

Wellner M, Schaufelberger A, Riener R. A Study on Sound Feedback in a Virtual Environment for Gait Rehabilitation. Virtual Rehabilitation, Venice 2007;53-56.

Wellner M, Zitzewitz J, Duschau-Wicke A, Riener R. Stepping Over Virtual Obstacles with an Actuated Gait Orthosis. Virtual Reality Conference 2007;275-276.

Wieser M, Fisler J, Keller T, Heinz D, Schönberger JL, Gutknecht C, Köneke S, Schreier R, Colombo G, Riener R. AwaCon-Project: First Results for a Multi-Modal Awakening Controller. VDI-Fortschritt-Berichte, Biotechnik/Medizintechnik, Automatisierungstechnische Verfahren für die Medizin 7. Workshop Tagungsband 2007;17/267:23-24.

Yu N, Blickenstorfer A, Eisner S, Murr W, Kollias S, Riener R. An fMRI-Compatible Manipulandum with Fluidic Actuation. VDI-Fortschritt-Berichte, Biotechnik/Medizintechnik, Automatisierungstechnische Verfahren für die Medizin 7. Workshop Tagungsband 2007;17/267:47-48.

Yu N, Murr W, Blickenstorfer A, Kollias S, Riener R. An fMRI Compatible Haptic Interface with Pneumatic Actuation. Proceedings of the 2007 IEEE 10th International Conference on Rehabilitation Robotics, NL-Noordwijk;714-720.

Zitzewitz J, Bernhardt JM, Riener R. A novel method for automatic treadmill speed adaptation. IEEE Transactions on Neural Systems and Rehabilitation Engineering 2007;15/3:401-409.