

*Madrid
Barcelona
Bologna
Zurich
Langensteinbach*

*Shufflebarger
Kebaish
Lehman
Mac Thiong*




Case Discussions: Fusion Levels in AIS

Adolescent Idiopathic Scoliosis:Surgical Treatment

Choice of Levels for Thoracic Curves



CSVL



Adolescent Idiopathic Scoliosis:Surgical Treatment

Choice of Levels for Thoracic Curves






Adolescent Idiopathic Scoliosis:Surgical Treatment

Choice of Levels for Thoracic Curves



CSV



Adolescent Idiopathic Scoliosis:Surgical Treatment

Choice of Levels for Thoracic Curves

1A Right



Adolescent Idiopathic Scoliosis:Surgical Treatment

Choice of Levels for Thoracic Curves



Adolescent Idiopathic Scoliosis:Surgical Treatment

Choice of Levels for Thoracic Curves


1A Left



Adolescent Idiopathic Scoliosis:Surgical Treatment

Choice of Levels for Thoracic Curves

1A Error



Selection of Distal Fusion Level in AIS



13 y/o girl
9 mos post-menarche
Otherwise normal


Selection of Distal Fusion Level in AIS



Selection of Distal Fusion Level in AIS



Selection of Distal Fusion Level in AIS



Selection of Distal Fusion Level in AIS




15 y/o girl

#1

trunk shift to right = chief complaint

2+ yrs menses
Some low back pain
Exam otherwise
unremarkable



2002

Supine



Bending films
complete correction

2002



15 y/o girl...complaint = trunk shift

Same as #1

#2



#1



#2



MRI...reported no evidence disc disease,
bulge, or other disc pathology

#1



Treated: TLSO, physical therapy, observation

2 years later...trunk shift, more back pain
examination same

#1



2004

What next??

Discography



L 3-4 and L 5-S 1 markedly positive for
main complaint



What next?

1 yr no symptoms, fully active

Happy Girl




"I didn't realize how uncomfortable I was"

#2



#1



#2



13 y/o girl
Menarche 1 yr
O/W normal






Travelling Fellows


Scientific Program


University Balgrist




? Levels







11 y/o girl
Pre-menarchal
O/W normal



? Levels

5 days post-op



3 mos post-op

